

KANGOO







SPECIFIC ROOF BARS

Pre-assembled bars consisting of steel tubes covered in black PVC Do not allow fitting of roof boxes or bike carriers (except specific Kangoo bike carrier) Incompatible on Kangoo extension (L2) Weight limit on roof (including the bars): 100 kg.

Reference	77 01 410 292
LT	0.5 h

Clamping wrench Reference 77 11 212 410

CROSS BARS ON LONGITUDINAL BARS

■ Cannot be fitted on Kangoo with sunroof and roof flap ■ Cannot be fitted on Kangoo extension (L2) Supplement for adaptation to longitudinal bars Aluminium with T-groove facilitating the fitting of carrying accessories ■ Black ■ Weight limit on roof (including the bars): 80 kg.

Reference	77 11 211 676
LT	0.2 h

Longitudinal bars 77 11 219 594 Reference 0.5 h LT

ROOF RACK

limit on roof (including the roof rack): 100 kg.

Reference	77 01 410 293
LT	0.5 h
KANGOO	LI with roof
Reference	77 01 410 294
LT	0.5 h



AAG086







Attached to the original locations and bearing pads Easy loading by means of a roller 🔳 Aerodynamic noise reduced by means of an air deflector 🔳 Tested in wind tunnel Treated for corrosion resistance by black polyester paint Weight

KANGOO L I without roof flap / with loading roller


flap / without loading roller






QUICK RELEASE TOW BAR

Ball removable without tools in only a few seconds Designed for intensive use I Maintains the aesthetics of the vehicle I Semi-automatic quick-release tow bar Maximum towable weight: 1320 kg.



Electrics kit 7 pins without module

77 11 226 775 Reference LT 1 h



Electrics kit

Reference	77 11 226 777
LT	1 h

Reference	77 11 226 777
LT	1 h



STANDARD TOW BAR

Tow bar designed for permanent use Treated for corrosion resistance by epoxy powdering Maximum towable weight: 1350 kg.

KANGOO from July 1998

Reference	77 11 213 064
LT	1.5 h

_

KANGOO 4X4, KANGOO PAMPA AND KANGOO DECATHLON

Reference	77 11 218 334
LT	2 h

ectrics kit pins without	module	Additional 12V	electrics kit
Reference	77 11 226 775	Reference	77 11 226 774
LT	1 h	IT	0.5 h
			0.011
ectrics kit 3 pins with m	odule		0.011
ectrics kit 3 pins with m Reference			

SWAN NECK TOW BAR

Ball removable with tools Designed for intensive use Maximum towable weight: 1320 kg.

KANGOO 4X4, KANGOO PAMPA AND KANGOO DECATHLON

Additional 12V electrics kit

77 11 226 774

0.5 h

Reference

IT

KANGOO

Reference	77 11 223 344
	3 h for Kangoo until June 1998
LT	1.5 h for Kangoo from July 1998

Reference 77 11 223 345

Reference 77 11 226 775

2 h

1 h



"CLIP ON BIKE" BICYCLE CARRIER

Bicycle carrier to be used with specific Kangoo roof bars (77 01 410 292) Instant bike fastener Simple and ergonomic fastening and unfastening.

Reference 77 11 212 793

AAG083

INTERIOR BIKE CARRIER

Carries 1 or 2 bikes with 4 people aboard The maximum distance between the front and rear forks of the bike is 1430 mm Bike carrier mounted on back of bench seat pulled down 1/3
Fastened by screws in place of lashing rings Two holes drilled in floor lining 5-mm Allen key and 10-mm tubular key supplied TÜV certification.

BICYCLEC	ARRIER FO
Reference	77 01 410 587

BICYCLE CARRIER FOR 2 BIKES

Reference 77 01 410 863

LT	

LT

7 pins without module

Electrics kit

Electrics kit 13 pins with module

Reference	77 11 226 777
LT	1 h



OR I BIKE




LIFE ON-BOARD




MONTANA SEAT COVER

■ First model in the new range of "Ingénius" seat covers ■ Plain dark carbon knit with accompanying section in striped blue and yellow ■ Compatible with airbags ■ Quick and easy seat covers to install.

KANGOO







BLASON SEAT COVER

Rear bench seat 1/3 2/3.

77 11 237 372

1.5 h

KANGOO

Reference

LT

Sporty and top-of-the-range, this model is the emblem of the sports

accompanying section Recommended for carbon interior colour schemes Compatible with airbags Seat cover quick and easy to install.

range Alcantara, partially embossed in the central section and velour

NERVA'SPORT SEAT COVER

Sport model which takes its name from a historic RENAULT sports vehicle
 3D mesh with chrome-appearance finishing trim strip and badge in 3D
 Nerva Accompanying section in carbon-coloured velour Compatible with airbags Quick and east seat cover to install.

KANGOO

Rear bench seat 1/1.		
Reference	77 11 237 368	
LT	1.5 h	

DOMAINE SEAT COVER

Classic model combining manufacturer design and vehicle protection
 Woven fabric for central section Accompanying section in serge velour
 Compatible with airbags Quick and easy seat cover to install .

KANGOO		KANGOO	
🔳 Rear bend	ch seat 1/1.	🔳 Rear ben	ch seat 1/3 2/3.
Reference	77 11 237 370	Reference	77 11 237 371
LT	1.5 h	LT	1.5 h




RIVE GAUCHE SEAT COVER

■ Top-of-the-range model ■ Grey-beige Alcantara and checked woven fabric with light-grey stitching in the central section ■ Upholstery finish in topstitching, great attention to detail ■ Recommended for light interior colour schemes ■ Compatible with airbags ■ Quick and easy seat cover to install.

KANGOO

Rear bench seat 1/3 2/3.

neielelice	11 11 231 313
LT	1.5 h



SUPERAQUILA SEAT COVER

■ Ultra-resistant TEP seat cover ■ Increases protection of the seat for particularly demanding business use ■ Maximum integration in the vehicle with identical colour scheme to original TEP upholstery ■ Quick fit seat cover ■ Not compatible with side airbags.

KANGOO VAN2 front seats with head restraint.

Reference 77 11 419 674

KANGOO

Rear bench seat 1/3 2/3.

Reference	77 11 237 369
LT	1.5 h



1 front seat with head		
restraint		
+ 1 reclining front seat with		
head restraint.		
Reference	77 11 419 675	




. . .




"QUICK INSTALL" AQUILA SEAT COVER

Seat cover for Kangoo van Printed knit 100 % polyester Machine washable Quick-fit seat cover Not compatible with airbags.

Kangoo van







NOVESTRA MAT

■ 3-4 piece set, made-to-measure ■ 100 % rubber structure, 1400 g/m² ■ Marked with the vehicle's name ■ Waterproof and washable by water jet ■ Heel mat on driver's mat ■ Improved adhesion by studded undercoat.

KANGOO

Front and rear seats
Reference 77 11 222 547

KANGOO VAN 2 front seats Reference 77 11 222 546


ÉVOLUTION RELIEF MAT

4-piece set, made-to-measure Velour carpet: 100 % polyamide,
425 g/m², velours finish, 100 % rubber undercoat Velour heel mat:
100 % polyamide, 425 g/m², velour finish, heat-sealed Marked with
vehicle name embroidered on driver's mat Top-of-the-range finish,
emphasised with twin binding in nubuck High level of safety by means of
highly-innovative reinforced adhesion undercoat Easy to handle
Flexible, waterproof and rugged material Easy cleaning Dark carbon
colour.



RUBBER MAT FOR KANGOO VAN

Custom-made mat
 Waterproof and washable by water jet
 Provides
 reinforced protection
 100 % thermoplastic structure, 100 % recyclable
 Marked with the vehicle's name
 Heel mat on driver's mat
 Colours
 matching the original colour scheme
 2 front seats.



TEXTILE MAT FOR VAN

Carpet: 100 % polypropylene, 500 g/m² Marked with vehicle name on driver's mat Anthracite textile mat 2 front seats only Resistant to wear and suitable for business use.

KANGOO VAN		
2 front seats		
References	77 11 219 945 Left-hand drive	
	77 11 219 948 Right-hand drive	




77 11 229 374

Left-hand drive

Reference


EVOLUTION COMFORT MAT

■ 4-piece set, made-to-measure ■ Carpet: 100 % polypropylene, 620 g/m², loop-pile finish, granulated undercoat ■ Marked with vehicle's name sewn on edge of mat ■ Flexible and resistant material, fitted with adapted fastenings.



EMPREINTE MAT

■ Hollowed rubber mat, exclusive Renault design ■ Structure in elastomer thermoplastic ■ Made-to-measure with raised edges to retain mud and snow ■ Marked with the vehicle's name ■ Waterproof for easy maintenance by water jet ■ Double handle for easy handling.





236 KANGOO / Life on-board







KANGOO / Life on-board 237



BOOT CARPET

Carpet: 100 % polypropylene, 500 g/m², granulated undercoat Marked with vehicle name embroidered on mat Carbon colour scheme Exact dimensions of the boot Washable.

Reference 77 11 219 960



INTERIOR BARS

BARS ALONE

Reference	77 11 212 407
LT	0.5 h

BARS + NET

Reference	77 11 212 582
LT	0.5 h

LOADLINER

Perfectly matches the shape of the boot Allows transport of all types of products, especially dirty objects 🔳 Easily removed from boot to be washed by water jet.

KANGOO

Reference 77 11 219 752

KANGOO 4X4

Reference 77 11 219 683



SEPARATING NET

Fitted between the rear bench seat and the boot Not compatible with aircraft trays.

Reference 77 00 313 955



COMPARTMENT TRAY UNDER REAR PARCEL SHELF

Practical for storing, holding and protecting small objects Adjustable separating compartments, removable partitions and non-skid bottom Two retaining belts allowing an umbrella to be attached Material: ABS Can contain up to 5 kg.

Reference	77 01 416 373
LT	0.2 h

q			
1	2010		
			Á
	A		
-		Contraction of the local division of the loc	

SEPARATING GRILLE

Ensures genuine separation between the vehicle boot and the passenger compartment, reserved for passengers 🔳 Stainless steel 🔳 Compatible with aircraft trays Check for presence of hooks behind the aircraft trays Compatible with sunroof and curtain airbags.

Reference	77 11 223 255
LT	0.5 h

Carrying system consisting of 3 bars Attachment by screws.





FITTINGS FOR BUSINESS USE



PLASTIC FLOOR FOR KANGOO VAN

Perfectly matches the shape of the loading zone Protects the loading zone Allows transport of all types of product, especially dirty objects Compatible with Kangoo Van with or without wheel well protections.

Reference 77 01 416 219



WOODEN FLOOR

■ Marine-grade plywood ■ Thickness 12 mm ■ Protects the loading zone Cut-outs allow for access to lashing rings.

KANGOO

Reference	77 11 219 825
LT	0.2 h

KANGOO EXTENSION

Reference	77 11 219 852
LT	0.2 h

NON-SKID WOODEN FLOOR

Marine-grade plywood Compressed wood with non-skid coating Thickness 12 mm Protects the loading zone Cut-outs allow for access to lashing rings.

Reference	77 11 222 944
LT	0.2 h





WATERPROOF CAPS

Sold in sets of 2 Cover access to lashing rings to ensure a waterproof floor.

Reference 77 11 421 187



LOADING PLATE PROTECTION

Reference 77 11 238 313



The kit comprises a wood floor and peripherals.

KANGOO without sliding side door

Reference	77 11 216 731
LT	2 h

KANGOO with RH sliding side door

Reference	77 11 216 732
LT	2 h

KANGOO LH sliding side door

Reference	77 11 420 491
LT	2 h

KANGOO two sliding side doors

Reference	77 11 219 825 77 11 226 130
LT	2 h

KANGOO EXTENSION

Reference	77 11 216 734
LT	2 h

COMPLETE NON-SKID WOODEN KIT

The kit comprises a wood floor with non-skid coating and wood peripherals.

KANGOO without sliding side door

Reference	77 11 223 357
LT	2 h

KANGOO with RH sliding side door

Reference	77 11 223 356
LT	2 h

■ Aluminium ■ Protects the floor base when loading / unloading goods.





AAG-070







PLASTIC PROTECTORS

PLASTIC TRAY

Grain-finish container in ABS, solution-dyed Perfectly matches the shape of the van Protects the floor and wheel wells from impacts and staining materials Rapid installation while maintaining the existing fastening points Washable by water jet \blacksquare LT = 0.2 h.

KANGOO with RH sliding side door Reference 77 01 416 206

KANGOO with swivelling partition

Reference 77 01 416 307

KANGOO without sliding side door or swivelling partition Reference **77 01 416 238**

KANGOO with RH sliding side door and swivelling partition Reference 77 01 416 306

PROTECTION FOR SIDE PANELS

Grain-finish partition panels in ABS, solution-dyed Perfectly match the shape of the van \blacksquare Impact resistance \blacksquare Quick installation \blacksquare LT = 0.2 h.

KANGOO Plastic protector for metal side panels + glazed rear door + RH glazed sliding side door Reference 77 01 416 239

KANGOO Plastic protector for metal side panels + glazed rear door, Kangoo without sliding side door

Reference 77 01 416 240

KANGOO Plastic protector for metal rear door Reference 77 01 416 207

WHEEL WELL PROTECTION

Black ABS Thermoformed Attachment by double-sided adhesive Can also be fitted to supplement loadliner.

Reference	77 01 416 312
LT	0.2 h





RETAINING BELTS

Adjustable, hold all packages to the floor by means of the original lashing hooks
The belt length is calculated for lashing one pallet.

Reference 77 11 218 399

GUIDE DRAWINGS FOR KANGOO

Comprising printed tracing paper to the vehicle's template Complete guide drawing: floor + peripherals Enables vehicle templates to be transferred onto the materials to be cut out (wood, carpet, melamine, etc.) Hot transfer.

Reference 77 01 416 209

AAF459

PROTECTIVE GRILLES

Protect against theft from the vehicle while maintaining good driver visibility 1-mm steel sheet Epoxy paint Attached by steel pop rivet.

KANGOO swing-out rea	
Reference	77 01 419 400
LT	0.3 h

KANGOO TAILGATE

Reference	77 01 419 468
LT	0.3 h

KANGOO RH sliding side

Reference	77 01 419 40
LT	0.3 h

KANGOO LH sliding side

Reference	77 11 228 17
LT	0.3 h



	, ,	,	
r doors —			
_			
_			
_			
e door 			
— e door			
_			



SAFETY / PROTECTION



MUDFLAPS

Protect the bottom of the car body from splashes.

KANGOO 4X2 FRONT AND REAR MUDFLAPS

Reference 77 11 223 990 LT 0.2 h

KANGOO 4X4 **REAR MUDFLAPS**

Reference	77 11 224 022
LT	0.2 h

KANGOO PAMPA AND KANGOO DECATHLON FRONT AND REAR MUDFLAPS

Reference	77 11 224 022
LT	0.2 h

WING PROTECTORS

Effective protection of wings Fastened by mere bonding.

KANGOO 4X4 Phase 1 Set of 4 for front and rear wings Reference 77 01 410 513

KANGOO GENERATION 2006 Set of 2 for front wings Reference 77 11 223 991

Set of 2 for rear wings Reference 77 11 223 992







AIR DEFLECTORS

2 embeddable deflectors.

Reference	77 01 410 459
LT	0.2 h

FOG LIGHT KIT

■ Improves driving safety ■ Improves the aesthetics of the front panel of the vehicle Complete kit.

KANGOO Phase 1

Reference	77 01 410 490
LT	2.5 h

KANGOO Phase 2 from March 2003

Reference	77 11 223 624
LT	2.5 h



THREE-POINT LOCK

High-security barrel, controlling three bolts (high, low and side) Anti-unhingeing points in the rebates.

Reference	77 01 419 404
LT	4h

244 KANGOO / Safety / Protection

Allow the air in the passenger compartment to be regenerated Set of





KANGOO / Safety / Protection 245

SAFETY / PROTECTION AND MULTIMEDIA





SPECIFIC ALARM

Volume protection by ultrasound Perimetric protection by contact
 Lights flash when activated/deactivated Optional inclinometer detector.

KANGOO TRF until week 26, 2003

Reference	77 11 213 990
LT	2 h

KANGOO TRF from week 26, 2003

Reference	77 11 229 446
LT	2 h

KANGOO, RIGHT-HAND DRIVE

	77 11 226 314
LT	2 h

Options

_

Designation	Inclinometer
Reference	77 01 416 069
	Radiofrequency protection

for Kangoo with partition behind the front seat



MENU TEL

12:28

HANDS-FREE CONTROLS FOR BLUETOOTH® TELEPHONE

Automatic wireless telephone connection to car stereo and microphone in the vehicle Automated transfer of address book (telephone + SIM card) and call record Continuity of conversation (automatic switch to vehicle speakers – entering – or to telephone – leaving) Total integration (control using controls under steering wheel and display) and audio quality (microphone + sound on 2 front radio speakers) Automatic call hold (safety) Not compatible with 6-CD changers in radio facade and navigation systems.

 Original car radio with offset display

 Reference
 77 11 421 424

 Available in April 2007

HANDS-FREE KIT WITH WIRE

FOR VEHICLE WITH FACTORY PRE-EQUIPMENT

This kit contains: retaining bracket, wiring and universal housing The specific phone cradle for the customer's mobile phone should be ordered separately Not compatible with the Carminat Informed Guidance Option.

References	77 11 226 345 Left-hand drive
nelelelices	77 11 226 347 Right-hand drive
LT	1 h

FOR VEHICLE WITHOUT FACTORY PRE-EQUIPMENT

■ This kit contains: retaining bracket, wiring, universal housing, microphone and aerial ■ The specific phone cradle for the customer's mobile phone should be ordered separately ■ Not compatible with the Carminat Informed Guidance option.

References	77 11 226 346 Left-hand drive
nelelelices	77 11 226 348 Right-hand drive
LT	1.5 h



lay 424

